

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/633,540	08/05/2003	Hisashi Iida	2018-761	6436	
23117 75	90 12/15/2006		EXAMINER		
NIXON & VANDERHYE, PC			OLSEN, KAJ K		
901 NORTH GLEBE ROAD, 11TH FLO ARLINGTON, VA 22203		νκ	ART UNIT	PAPER NUMBER	
,		•	1753		
			DATE MAILED: 12/15/200	DATE MAILED: 12/15/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

E
8

	Application No.	Applicant(s)		
	10/633,540	IIDA ET AL.		
Office Action Summary	Examiner	Art Unit		
	Kaj K. Olsen	1753		
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address		
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period was pailing to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim viil apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	the mailing date of this communication. D (35 U.S.C. § 133).		
Status				
1) Responsive to communication(s) filed on	<u>_</u> :			
2a) This action is FINAL . 2b) ⊠ This	action is non-final.			
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.		
Disposition of Claims	•	·		
4) ☐ Claim(s) 1-10 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-10 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	vn from consideration.			
Application Papers				
9) ☐ The specification is objected to by the Examiner 10) ☑ The drawing(s) filed on 05 August 2003 is/are: Applicant may not request that any objection to the ore Replacement drawing sheet(s) including the correction of the ore control of	a) accepted or b) dobjected to drawing(s) be held in abeyance. See on is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).		
Priority under 35 U.S.C. § 119		,		
a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list of	s have been received. s have been received in Application ity documents have been received (PCT Rule 17.2(a)).	on No ed in this National Stage		
Attachment(s)				
1) ☑ Notice of References Cited (PTO-892) 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) ☑ Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 8-5-03;12-30-05	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ite		

1

Art Unit: 1753

DETAILED ACTION

Page 2

Drawings

1. The drawings are objected to. In fig. 21, it appears that the "sdloxsl" of line (i) should be --sdloxsh--. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Application/Control Number: 10/633,540 Page 3

Art Unit: 1753

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

- 3. Claims 1 and 8 are rejected under 35 U.S.C. 102(b) as being anticipated by JP 7-198,672 (hereafter "JP '672").
- 4. JP '672 discloses an apparatus for detecting a deterioration of an oxygen sensor comprising an oxygen sensor having an electrode on a solid electrolyte element (fig. 3 and paragraphs 0011 and 0016) and a temperature adjusting means for adjusting the temperature of the solid electrolyte element to at least two different temperatures (fig. 2 and paragraph 0018). JP '672 further discloses a deterioration detection means based on the outputs of the sensor produced when the temperature of the solid electrolyte element is adjusted to the two different temperatures by the temperature adjusting means. See paragraphs 0027-0041. With respect to the sensor of JP '672 being an air-fuel ratio sensor, air-fuel ratio sensors are oxygen sensors like those of JP '672 and the examiner does not believe there is any structural distinction between an air-fuel sensor and the oxygen sensor of JP '672.
- 5. With respect to the temperature adjusting means supplying or stopping heat to the solid electrolyte element, that would be inherent for any heating system that has the capability to heat up the device and allow for the device to cool down.

Claim Rejections - 35 USC § 103

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 1753

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Page 4

- 7. Claims 1-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yasui et al (USP 6,935,155) in view of Hasegawa et al (USP 6,258,232). Applicant cannot rely upon the foreign priority papers to overcome this rejection because a translation of said papers has not been made of record in accordance with 37 CFR 1.55. If applicant provides a certified translation of the foreign priority document, the examiner will withdraw this rejection. See MPEP § 201.15.
- 8. Yasui discloses an apparatus for detection a deterioration of an air-fuel ratio ssor comprising an air-fuel ratio sensor 17, a temperature adjustment means for adjusting the temperature to at least two different temperatures, and an air-fuel ratio deterioration detection means for detecting a deterioration of the air-fuel ratio sensor based on the outputs from the sensor at two different temperatures of the solid electrolyte element. See fig. 17 and 19 and col. 12, l. 28 through col. 15, l. 10. Yasui does not explicitly disclose that the air-fuel ratio sensor comprises an electrode and a solid electrolyte element. However, Hasegawa teaches that air-fuel ratio sensor typically comprise at least one electrode and solid electrolyte element. See col. 6, 11. 12-33. It would have been obvious to one of ordinary skill in the art at the time the invention was being made to utilize the sensor of Hasegawa for the apparatus of Yasui because the use of a conventional gas sensor configuration would have required only routine skill in the art.
- 9. With respect to the engine being in a predetermined operating condition, see Yasui, col. 13, 11. 29-52.

Art Unit: 1753

10. With respect to the use of an output parameter, Yasui relies on an output frequency of the air-fuel sensor. See fig. 11c as an example.

Page 5

- 11. With respect to detecting the temperature via an internal resistance of the air-fuel sensor and adjusting the temperature accordingly, see Hasegawa, fig. 11 and col. 9, 1. 50 through col. 10, 1. 53.
- 12. Claims 1-8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hasegawa in view of JP '672.
- 13. Hasegawa discloses an apparatus comprising a air-fuel ratio sensor having an electrode on a solid electrolyte element (col. 6, ll. 12-33), and a temperature adjusting means (see fig. 9b). Hasegawa did not explicitly disclose the use of the temperature adjusting means to adjust between two predetermined temperatures and the presence of a deterioration detection means based on the sensor output from the two different temperatures. However, the previously discussed JP '672 taught the use of such a means for an analogous oxygen sensor that allowed for the deterioration of the oxygen sensor to be determined from two different temperatures. See the art rejection above. It would have been obvious to one of ordinary skill in the art at the time the invention was being made for Hasegawa to utilize the deterioration detection of JP '672 so that one does not attempt to control the air-fuel ratio with a deteriorated sensor.
- 14. With respect to the engine being in a predetermined operating condition, see Hasegawa, col. 14, ll. 29-35.
- 15. With respect to the use of an output parameter, JP '672 relies on a differential between responses at the two different temperature values. See fig. 5.

Art Unit: 1753

- 16. With respect to detecting the temperature via an internal resistance of the air-fuel sensor and adjusting the temperature accordingly, see Hasegawa, fig. 11 and col. 9, l. 50 through col. 10, l. 53.
- 17. Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hasegawa in view of JP '672 as applied to claim 1 above, and further in view of Scheid et al (USP 5,811,661).
- 18. The references set forth all the limitations of the claim, but did not explicitly recite that the air-fuel sensor is installed downstream from a catalyst. Scheid teaches in an alternate apparatus that air-fuel sensors are installed both upstream and downstream of a catalyst in order to measure both the operation of the engine and the catalyst. See fig. 1 and col. 3, 1. 65 through col. 4, 1. 12. It would have been obvious to one of ordinary skill in the art at the time the invention was being made to utilize the teaching of Scheid for the apparatus of Hasegawa and JP '672 so that the operational state of the catalyst can also be monitored.
- 19. Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over either Yasui in view of Hasegawa or Hasegawa in view of JP '672 as applied to claim 1 above, and further in view of Kato et al (USP 6,120,663).
- 20. The references set forth all the limitations of the claim, but did not explicitly recite the presence of a temperature adjusting failure detecting means. Kato discloses that the a temperature monitoring means can be utilized to determine if an expected output of the temperature detection means is arrived at within a predetermined period of time. See col. 3, 1. 60 through col. 4, 1. 5. It would have been obvious to one of ordinary skill in the art to utilize the teaching of Kato for the apparatuses of either Yasui in view of Hasegawa or Hasegawa in view of JP '672 so that the expected temperature changes needed for both of Yasui and JP '672 are

Art Unit: 1753

Page 7

arrived at within a predetermined period of time. Moreover, because the failure to arrive at the

desired temperature would be indicative of a sensor failure (Kato, col. 24, 11. 44-48), one

possessing ordinary skill in the art would have been motivated to perform this before any

deterioration detection means of Yasui or JP '672 because the sensor has already been found to

be in error.

Conclusion

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Kaj Olsen whose telephone number is (571) 272-1344. The

examiner can normally be reached on Monday through Friday from 8:00 A.M. to 4:30 P.M..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Nam Nguyen, can be reached on 571-272-1342. The fax phone number for the

organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

AU 1753

December 11, 2006